

Doi: 10.46793/MAK2026.439G

INTEGRATING AGROFORESTRY AND LIVESTOCK FOR CLIMATE-RESILIENT AGRIBUSINESS

Vesna Gantner¹, Zvonimir Steiner¹, Vera Popović², Boris Ljubojević^{3*}

¹Josip Juraj Strossmayer University of Osijek, Faculty of Agrobiotechnical Sciences Osijek, Croatia,

²Institute of Field and Vegetable Crops, Novi Sad, Serbia,

³Croatian Forests Ltd., Zagreb, Croatia,

*Corresponding author: borisljubojevicosijek@gmail.com

Abstract: This review examines the integration of agroforestry and livestock systems as a strategy for climate-resilient and sustainable agribusiness. These systems enhance ecosystem services, including soil and water conservation, biodiversity, and carbon sequestration, while producing high-quality plant and animal products. Technological innovations and precision management optimize resource use, reduce environmental impacts, and improve farm-level resilience, while integrated systems also support rural livelihoods, employment, and knowledge transfer.

Keywords: Agroforestry, Animal production, Sustainable agriculture, Climate resilience, Precision agriculture

INTRODUCTION

Agroforestry is broadly defined as a land-use system in which woody perennials such as trees and shrubs are deliberately integrated with agricultural crops and or livestock on the same land unit in spatial and temporal arrangements that generate functional interactions among components (FAO, 2011; Nair et al., 2021). This intentional integration, encompassing practices such as silvopasture (trees with livestock), agrisilviculture (trees with crops), and agrosilvopasture (trees with both crops and livestock), leverages complementary ecological processes to diversify production and enhance system resilience, productivity, and sustainability (FAO, 2011; Nair et al., 2021; Mosquera-Losada et al., 2005). The inclusion of livestock within agroforestry systems is not a peripheral option but an essential dimension of multifunctional land management, fostering nutrient cycling, improving fodder availability, and promoting ecological balance in pasture and mixed production landscapes (FAO, 2011; Jamnadass et al., 2013).

Contemporary agriculture operates under intensifying pressures from climate change, soil degradation, biodiversity loss, and greenhouse gas emissions. Climatic extremes, including increased temperature variability, higher drought frequency, and erratic rainfall patterns, threaten crop yields and pasture productivity at the global scale (FAO, 2019; New Climate Institute, 2020). Simplified and monocultural production systems have been shown to exacerbate soil erosion and degradation, weaken ecosystem services, and reduce biological diversity compared with diversified land-use systems (Jamnadass et al., 2013; Bhandari et

al., 2025). Furthermore, agriculture contributes substantially to global greenhouse gas emissions, with livestock production accounting for a major share of methane and nitrous oxide emissions from agricultural activities, while conventional tillage practices further increase carbon losses from soil organic matter (FAO, 2019; New Climate Institute, 2020). These combined pressures underscore the need for transformative strategies that reconcile food production with environmental stewardship.

In this context, integrated agroforestry-livestock systems offer a promising pathway to advance sustainable and climate-resilient agribusiness. By combining woody perennials with pastures and animal production, silvopastoral and agrosilvopastoral systems enhance soil structure, increase soil organic carbon stocks through biomass inputs, and contribute to carbon sequestration in both vegetation and soil (FAO, 2011; Hess, 2025; Bhandari et al., 2025). Tree cover in such systems creates beneficial microclimates that moderate temperature extremes and wind stress on crops and livestock, while diversified fodder resources support more stable animal productivity under climatic variability (Mosquera-Losada et al., 2005; García de Jalón et al., 2018). Additionally, the complementarity between trees, crops, and livestock improves whole-system nutrient cycling and reduces reliance on synthetic inputs, contributing to lower emissions intensity compared with specialized production systems (Jamnadass et al., 2013; Varijakshapanicker et al., 2019).

Despite robust evidence for ecological and productivity benefits, the implementation of integrated agroforestry-livestock systems remain constrained by barriers related to technical knowledge, policy frameworks, and economic incentives (FAO, 2011; Bhandari et al., 2025), highlighting the need for research that situates agroforestry-livestock integration within broader sustainability strategies. This review synthesizes the current scientific literature on agroforestry and livestock integration, focusing on definitions and conceptual frameworks, global agricultural challenges, mechanisms through which integrated systems confer resilience and sustainability, and research priorities to support adoption across diverse agrarian contexts. By examining these dimensions, the paper aims to illustrate the multifaceted contributions of agroforestry with livestock to sustainable and climate-resilient agribusiness development.

BIOTECHNOLOGICAL AND GENETIC INNOVATIONS IN AGROFORESTRY AND LIVESTOCK SYSTEMS

Genetic and biotechnological innovations are necessary for enhancing the resilience, productivity, and sustainability of integrated agroforestry and livestock systems. In the context of climate change and increasing environmental stressors, targeted improvement of both plant and animal genetic resources could enable systemic adaptation and support multifunctional production.

The application of genetically resilient plant varieties and livestock breeds is foundational to improving stress tolerance and productivity in agroforestry-livestock landscapes. Genetic diversity within crops and livestock enhances the adaptability of production systems to variable environmental conditions, stabilizing yields and supporting ecosystem functions (Casadebaig et al., 2014). In crop systems, breeding for stress-adaptive traits such as drought tolerance, heat stress resilience, and pest resistance is increasingly facilitated through advanced molecular tools, including genomic selection and marker-assisted

breeding. These approaches accelerate the development of cultivars capable of maintaining performance under abiotic stress, thereby supporting sustainable outputs in polycultural systems such as agroforestry. For livestock, genetic improvement and breed diversification enhance adaptive capacity to climatic stressors, disease exposure, and feed variability. The integration of indigenous and locally adapted genetic resources supports selection for traits such as thermo-tolerance, metabolic efficiency, and disease resistance, improving resilience and productivity (Boettcher et al., 2015). Transcriptomic and genomic analyses further elucidate adaptive mechanisms at the molecular level, providing molecular markers for precision breeding programs targeting climate resilience (Shashank et al., 2024).

In addition to genetic improvement, biotechnological manipulation of soil and animal microbiota offers significant benefits for plant and animal health. Plant growth-promoting rhizobacteria (PGPR) represent a class of beneficial microorganisms that colonize the rhizosphere and enhance plant growth through multiple mechanisms, including increased nutrient availability, phytohormone production, and pathogen suppression (Aloo et al., 2022; De Andrade et al., 2023; Shahzad et al., 2025). PGPR-based biofertilizers contribute to sustainable agriculture by improving plant nutrient uptake and tolerance to abiotic stress while reducing reliance on synthetic fertilizers (De Andrade et al., 2023; Shahzad et al., 2025). These microbial inoculants support nutrient cycling and soil fertility, directly influencing the productivity of agroforestry systems by enhancing the growth of both annual crops and perennial trees. In livestock systems, probiotics and microbiome-based supplements modulate gut health, improve feed efficiency, and support immune function, contributing to improved nutrient utilization and reduced environmental impacts.

The development of functional agroforestry-livestock systems that optimize the nutritional value of agricultural products while mitigating environmental impacts relies on the integration of genetic and microbial biotechnologies. In plant components of agroforestry systems, enhanced nutrient profiles and stress mitigation achieved through PGPR and biofertilizers support the production of high-quality food and feed while minimizing negative externalities associated with conventional inputs. In livestock systems, genetic improvement and probiotic-based strategies enhance product quality, such as meat and milk composition, and improve system efficiency, contributing to lower environmental footprints per unit of output (Varijakshapanicker et al., 2019; Bhandari et al., 2025). Collectively, these integrated biotechnological approaches support a transition toward eco-intensified agricultural landscapes that are both productive and environmentally sustainable.

DIGITAL TRANSFORMATION AND PRECISION MANAGEMENT

Digital transformation and precision management technologies are reshaping modern agribusiness by enabling real-time monitoring, data-driven decision-making, and optimized resource use. These innovations, anchored in IoT sensors, GIS mapping, unmanned aerial vehicles (UAVs or drones), and advanced analytics, enhance the efficiency and sustainability of integrated crop and livestock systems.

Applications of IoT sensors, GIS technologies, and unmanned aerial vehicles enable comprehensive monitoring of crops, soil conditions, and animal health within integrated agricultural systems. Internet of Things devices deployed in fields collect data on soil

moisture, temperature, nutrient status, and microclimate, which are transmitted to cloud or edge computing platforms for analysis. The integration of real-time data streams allows monitoring of plant growth and early detection of stress or disease, enabling timely management interventions (Soussi et al., 2024; Ronzhin et al., 2025). Geographic Information Systems complement sensor networks by providing spatial analysis and mapping layers that contextualize field-level data across landscapes, supporting precise decision-making for land management and resource allocation (Ronzhin et al., 2025).

Unmanned aerial vehicles equipped with multispectral and thermal sensors further enhance monitoring capabilities by capturing high-resolution imagery of crop vigor, soil variability, and water stress patterns at field scale (Padhiary et al., 2025). In livestock systems, wearable IoT devices and low-power communication frameworks, such as LoRa-based architectures, are increasingly applied to monitor animal location, health status, and environmental exposure, transforming traditional herd management into data-driven smart livestock systems (Mohapatra, 2025).

Precision management of water, nutrients, and feed leverages sensor networks and decision-support systems to optimize input use in an efficient and sustainable manner. Sensor-based irrigation systems, informed by real-time soil moisture and weather data, enable targeted water application that reduces losses while maintaining optimal crop and pasture conditions (Soussi et al., 2024; Alahmad et al., 2023). Similarly, precision nutrient management relies on spatially explicit soil and crop data to guide variable-rate fertilization, reducing over-application, lowering production costs, and mitigating nutrient runoff that contributes to environmental pollution (Alahmad et al., 2023; Ronzhin et al., 2025). In livestock operations, precision feeding systems integrate sensor-derived data and individual animal information to adjust rations according to growth stage, health status, and environmental conditions, improving feed efficiency and reducing emissions intensity per unit of product.

A central pillar of digital transformation is the use of big data analytics and advanced modeling to optimize productivity, reduce emissions, and improve resource planning across integrated agricultural systems. Data generated from IoT networks, UAV and satellite imagery, and farm management records feed into predictive models, machine learning algorithms, and decision-support tools that can forecast yields, identify risk zones, and recommend optimized management strategies (Alahmad et al., 2023; Ronzhin et al., 2025). These analytical approaches enable the interpretation of complex datasets, uncovering patterns and trends that inform long-term strategic planning and support climate adaptation, resource efficiency, and environmental sustainability (Padhiary et al., 2025).

Digital transformation and precision management integrate IoT sensors, GIS, unmanned aerial vehicles, and data analytics to create responsive, efficient, and sustainable agricultural systems. These technologies enhance monitoring of crops and livestock, optimize input use, support informed decision-making, and improve the capacity of integrated systems to adapt to climatic and resource constraints.

ENVIRONMENTAL SUSTAINABILITY AND CLIMATE ADAPTATION

Environmental sustainability and climate adaptation are central components of integrated agroforestry and livestock systems. These systems provide multiple ecosystem services that

contribute to soil and water conservation, biodiversity enhancement, carbon sequestration, and resilience to climatic variability. Their multifunctionality positions agroforestry-livestock systems as important land-use strategies for sustainable agribusiness under global environmental change (FAO, 2011; Jamnadass et al., 2013).

Agroforestry and integrated livestock systems contribute substantially to soil, water, and biodiversity conservation by modifying biophysical processes and landscape structure. Trees and shrubs integrated within agricultural landscapes reduce soil erosion by limiting surface runoff and stabilizing soil through extensive root systems, thereby improving soil structure and aggregate stability compared with monoculture cropping systems (FAO, 2011; Mosquera-Losada et al., 2005). Increased organic matter inputs from litterfall, root turnover, and woody biomass enhance soil fertility and water-holding capacity, improving resilience to drought and intense rainfall events (Jamnadass et al., 2013; García de Jalón et al., 2018). Agroforestry systems also diversify habitat structures, supporting higher levels of plant and animal biodiversity than simplified agricultural landscapes, which in turn promotes ecosystem stability and functional services such as pollination and biological regulation (Paudel et al., 2025; Tirkey et al., 2024).

A key environmental function of agroforestry systems is carbon sequestration and their contribution to climate change mitigation. The integration of woody perennials with crops and livestock increases above- and below-ground biomass carbon stocks and promotes the accumulation of soil organic carbon through litter deposition and root-derived inputs (FAO, 2011; Hess, 2025). In silvopastoral systems, tree cover enhances carbon storage in vegetation and soil while moderating microclimatic conditions such as shading and wind exposure, contributing to improved ecosystem carbon balance and resilience to climatic extremes (Mosquera-Losada et al., 2005; Hess, 2025).

Beyond mitigation, agroforestry systems support climate adaptation through structural designs that moderate climatic extremes and improve resource-use efficiency. Multilayered configurations, including silvopastoral arrangements and tree-based buffer systems, regulate microclimates, reduce temperature variability, and conserve soil moisture (García de Jalón et al., 2018). Improved soil porosity and organic matter content enhance water infiltration and retention, increasing system resilience to both drought and flood conditions (FAO, 2011; New Climate Institute, 2020). In grazing systems, the integration of livestock with tree cover moderates pasture microclimates, reduces animal heat stress, and supports forage productivity under variable climatic conditions (Mosquera-Losada et al., 2005).

Collectively, the environmental services provided by agroforestry and integrated livestock systems, including soil protection, water conservation, biodiversity enhancement, carbon sequestration, and climate adaptation, offer holistic pathways for sustainable agribusiness transformation. Scaling up these systems requires supportive policy frameworks, knowledge transfer, and capacity building to enable the widespread adoption of practices that enhance ecosystem services while maintaining farm productivity and resilience.

ECONOMIC AND SOCIAL DIMENSIONS OF AGROFORESTRY AND INTEGRATED LIVESTOCK SYSTEMS

Economic and social dimensions are fundamental for understanding the viability and broader societal impacts of integrated agroforestry and livestock systems. Beyond

ecological benefits, these systems contribute to economic sustainability through income diversification and risk reduction, strengthen rural livelihoods and employment, and require supportive institutional and policy frameworks to enable wider adoption.

Integrated agroforestry and livestock systems enhance economic sustainability by generating diverse income streams that reduce farmers' dependence on single crops or products. The combined production of food crops, fodder, tree products, and livestock outputs provides multiple revenue sources that buffer households against market volatility and climate-related production risks, thereby improving economic resilience (Paudel et al., 2025; Tirkey et al., 2024). Diversified systems also create opportunities for value addition through processing and local marketing of agricultural and tree-based products, contributing to rural economic development (Jamnadass et al., 2013).

Economic resilience is further strengthened by the reduced likelihood of complete yield failure in diversified systems. Agroforestry can function as a livelihood safety net by providing alternative income sources during periods of climatic stress, such as droughts or floods, thereby supporting long-term financial stability. In addition, integrated systems often reduce reliance on external inputs, including synthetic fertilizers and pesticides, which lowers production costs and improves net farm returns, particularly in resource-limited farming contexts (Bhandari et al., 2025).

The social implications of integrated agroforestry and livestock systems extend beyond income generation. Agroforestry contributes to improved rural livelihoods by supporting food and feed availability, fuel resources, and overall household security, particularly in vulnerable and smallholder communities (Jamnadass et al., 2013; World Agroforestry Centre and FAO, 2013). These systems also generate employment across diversified value chains, including nursery production, on-farm management, and product processing, thereby supporting local economies and reducing pressures for rural-to-urban migration (Tirkey et al., 2024).

Beyond their economic role, agroforestry systems foster social cohesion and knowledge exchange within rural communities. Collective activities related to tree management, grazing coordination, and product marketing strengthen social networks and facilitate the sharing of traditional and technical knowledge. Such interactions contribute to human capital development, enhance collective decision-making, and support resilient community structures (Bhandari et al., 2025).

The successful adoption and scaling of integrated agroforestry and livestock systems depend on enabling policies, institutional support, and appropriate economic incentives. Policy frameworks that recognize multifunctional land use, secure land tenure, and support investments in sustainable practices are critical for long-term implementation. Financial mechanisms, including incentives for ecosystem service provision and access to credit, can further encourage adoption by recognizing the broader social and environmental benefits of integrated systems (FAO, 2011; New Climate Institute, 2020; Bashiru and Oseni, 2025).

In summary, the economic and social dimensions of integrated agroforestry and livestock systems highlight the importance of income diversification, improved rural livelihoods, employment generation, and supportive policy environments as key drivers of long-term

economic stability and community well-being. Integrating these dimensions into research, policy design, and extension services will be essential to expand adoption and fully realize the potential of agroforestry-based systems for sustainable agribusiness development.

AGROFORESTRY AND INTEGRATED LIVESTOCK SYSTEMS FOR NUTRITION SECURITY AND CIRCULAR BIO-ECONOMY

Integrated agroforestry and livestock systems contribute to improved nutritional outcomes, sustainable animal production, and public health, while also providing pathways toward a circular bio-economy through renewable energy generation and nutrient recycling. By integrating trees, crops, and livestock, these systems exploit ecological synergies that enhance the diversity and quality of food products, reduce environmental footprints, and valorize biomass and organic residues.

Agroforestry systems directly support dietary diversification and improved nutritional security by producing a wide range of food products, including fruits, vegetables, nuts, grains, milk, and meat, often within the same land unit. The inclusion of trees and perennial species increases the availability of micronutrient-rich foods and expands dietary diversity beyond monocultural staples, which has been linked to improved nutritional outcomes at household and community levels (Jamnadass et al., 2013; World Agroforestry Centre and FAO, 2013).

The integration of livestock within agroforestry contexts further enhances food quality through the provision of animal-sourced foods that supply high-quality proteins, essential fatty acids, and key micronutrients critical for human health (Varijakshapanicker et al., 2019). In silvopastoral systems, diversified forage resources derived from tree-pasture interactions improve feed quality and animal nutrition, supporting animal welfare and productivity and contributing to improved milk and meat quality compared with simplified grazing systems (Mosquera-Losada et al., 2005).

By broadening the feed base and incorporating tree-derived fodder resources, integrated systems reduce dependence on external feed inputs while improving nutrient utilization efficiency. Such diversification enhances the stability of animal performance under climatic variability and supports locally available, nutrition-sensitive food production systems that strengthen food security and public health outcomes (Jamnadass et al., 2013; Paudel et al., 2025).

Integrated agroforestry and livestock systems also play a significant role in advancing circular bio-economy principles by converting agricultural and livestock biomass into renewable energy and recyclable nutrients. Anaerobic digestion of manure and crop residues represents a key pathway for transforming organic waste into biogas while producing nutrient-rich digestate that can be returned to soils as fertilizer, thereby closing nutrient cycles and reducing reliance on external inputs (Pan et al., 2021). Such systems mitigate greenhouse gas emissions through methane capture, enhance rural energy security, and generate additional income streams for farm households (Pan et al., 2021; Manono and Gichana, 2025).

Together, agroforestry and integrated livestock systems support nutrition-sensitive food production by delivering diverse, high-quality plant and animal products while linking agricultural productivity with public health benefits. At the same time, the integration of bioenergy generation and nutrient recycling embeds these systems within circular bio-economy frameworks, reducing environmental impacts and strengthening economic resilience. These multifunctional pathways underscore the potential of integrated agroecosystems to contribute to sustainable agribusiness development, food security, and climate-responsive rural transformation.

CONCLUSION

Integrated agroforestry and livestock systems offer a multifunctional approach to climate-resilient agribusiness by simultaneously enhancing ecological, economic, and social outcomes. These systems improve soil and water conservation, support biodiversity, and increase carbon sequestration, while providing high-quality plant and animal products that enhance nutritional security. The integration of technological innovations and precision management optimizes resource use, reduces environmental impact, and strengthens farm-level resilience. Additionally, circular bio-economy practices, including biomass and waste valorization, contribute to renewable energy production and nutrient recycling. Socially, these systems support rural livelihoods, employment, and knowledge transfer, reinforcing community stability. Overall, agroforestry-livestock integration represents a holistic and scalable strategy for sustainable, productive, and climate-adaptive agribusiness.

REFERENCES

- Alahmad, T., Neményi, M., Nyéki, A. (2023). Applying IoT sensors and big data to improve precision crop production: A review. *Agronomy*, 13(10), 2603.
- Aloo, B.N., Tripathi, V., Makumba, B.A., Mbega, E.R. (2022). Plant growth-promoting rhizobacterial biofertilizers for crop production: The past, present, and future. *Frontiers in Plant Science*, 13, 1002448.
- Bashiru, H.A., Oseni, S.O. (2025). Simplified climate change adaptation strategies for livestock development in low- and middle-income countries. *Frontiers in Sustainable Food Systems*, 9, 1566194.
- Bhandari, S., Paudel, S., Upadhaya, S. (2025). Socio-economic and environmental benefits of agroforestry and its multilevel barriers to adoption: A systematic review. *Sustainability*, 18(1), 5.
- Boettcher, P.J., Hoffmann, I., Baumung, R., Drucker, A.G., McManus, C., Berg, P. *et al.* (2015). Genetic resources and genomics for adaptation of livestock to climate change. *Frontiers in Genetics*, 5, 461.
- Casadebaig, P., Trépos, R., Picheny, V., Langlade, N.B., Vincourt, P., Debaeke, P. (2014). Increased genetic diversity improves crop yield stability under climate variability: A computational study on sunflower. *PLoS ONE*, 9(12), e113836.
- De Andrade, L.A., Santos, C.H.B., Frezarin, E.T., Sales, L.R., Rigobelo, E.C. (2023). Plant growth-promoting rhizobacteria for sustainable agricultural production. *Microorganisms*, 11(4), 1088.
- Food and Agriculture Organization of the United Nations (FAO) (2011). *Agroforestry*. FAO, Rome.
- Food and Agriculture Organization of the United Nations (FAO) (2019). *Agriculture and climate change: Challenges and opportunities at the global and local level*. FAO, Rome.
- García de Jalón, S., Graves, A., Moreno, G., Palma, J.H.N., Crous-Durán, J., Kay, S. *et al.* (2018). Forage-SAFE: A model for assessing the impact of tree cover on wood pasture profitability. *Ecological Modelling*, 372, 24-32.
- Hess, S. (2025). Carbon sequestration potential in agroforestry systems: A climate mitigation strategy. *European Journal of Agroecology & Climate Change*, 1(1).

- Jamnadass, R., Place, F., Torquebiau, E., Malézieux, E., Iiyama, M., Sileshi, G.W. *et al.* (2013). Agroforestry for food and nutritional security. *Unasylva*, 64(241), 23-35.
- Manono, B.O., Gichana, Z. (2025). Agriculture-livestock-forestry nexus: Pathways to enhanced incomes, soil health, food security and climate change mitigation in Sub-Saharan Africa. *Earth*, 6(3), 74.
- Mohapatra, H. (2025). A LoRa IoT framework with machine learning for remote livestock monitoring in smart agriculture. *arXiv preprint*, 2510.07322.
- Mosquera-Losada, M.R., Rigueiro-Rodríguez, A., McAdam, J. (2005). Proceedings of an international congress on silvopastoralism and sustainable management, Lugo, Spain, April 2004. CABI Publishing, Wallingford.
- Nair, P.K.R., Kumar, B.M., Nair, V.D. (2021). An introduction to agroforestry: Four decades of scientific developments. Springer, Cham.
- New Climate Institute (2020). Climate change and agriculture. Burleigh Dodds Science Publishing, Cologne.
- Padhiary, M., Kumar, A., Sethi, L.N. (2025). Emerging technologies for smart and sustainable precision agriculture. *Discover Robotics*, 1(1), 6.
- Pan, S.Y., Tsai, C.Y., Liu, C.W., Wang, S.W., Kim, H., Fan, C. (2021). Anaerobic co-digestion of agricultural wastes toward circular bioeconomy. *iScience*, 24(7), 102704.
- Paudel, S., Bhandari, S., Upadhaya, S. (2025). Agroforestry for pollinator support and food security: A review. *Frontiers in Sustainable Food Systems*, 9, 1703823.
- Ronzhin, A., Figurek, A., Surovtsev, V., Dibirova, K. (2025). Digital transformation and precision farming as catalysts of rural development. *Land*, 14(7), 1464.
- Shahzad, M., Hayat, R., Mujtaba, G., Rehman, W.U., Nadeem, M. (2025). Biofertilizers in sustainable agriculture: Mechanisms, applications, and future prospects. *Discover Agriculture*, 3(1), 224.
- Shashank, C.G., Sejian, V., Silpa, M.V., Devaraj, C., Madhusoodan, A.P., Rebez, E.B. *et al.* (2024). Climate resilience in farm animals: Transcriptomics-based alterations in differentially expressed genes and stress pathways. *BioTech*, 13(4), 49.
- Soussi, A., Zero, E., Sacile, R., Trincherro, D., Fossa, M. (2024). Smart sensors and smart data for precision agriculture: A review. *Sensors*, 24(8), 2647.
- Tirkey, A.I.P., Kumar, R., Singh, A.K., Ram, R.K., Mishra, N.K., Prasad, R.S. (2024). Agroforestry for rural economic empowerment and food security: A review. *International Journal of Research in Agronomy*, 7(10), 713-716.
- Varijakshapanicker, P., McKune, S., Miller, L., Hendrickx, S., Balehegn, M., Dahl, G.E. *et al.* (2019). Sustainable livestock systems to improve human health, nutrition, and economic status. *Animal Frontiers*, 9(4), 39-50.
- World Agroforestry Centre (ICRAF) & Food and Agriculture Organization of the United Nations (FAO) (2013). Agroforestry, food and nutritional security. World Agroforestry Centre, Nairobi.